

**CSP # 09-02, Cisco Network Equipment for the Academy of IISD**

**Addendum 1**

The intent of this addendum is **to correct the equipment listing requested** in the CSP and **change the receipt date to November 6, 2008 at 2:00PM.**

1. Change paragraph 3a to read: “Offers will be received and publicly acknowledged at the Irving Independent School District Purchasing Conference Room, at 2:00 PM on November 6, 2008.”
  
2. Delete the entire equipment listing at paragraph 1a and replace with the following:

<b>Part Number</b>	<b>Description</b>	<b>Qty.</b>
<b>Academy HS Wireless</b>		
<b>AIR-LAP1252AG-A-K9</b>	802.11A/G/N-D2.0 2.4/5-ghZ Mod Unified AP; 6 RP-TNC;FCC	47
<b>AIR-ANT2422DW-R</b>	2.4-GHz 2.2 dBi Dipole Antenna RP-TNC White Qty 1	141
<b>AIR-ANT5135DW-R</b>	5GHz dBi Dipole Antenna RP-TNC White Qty 1	141
<b>AIR-NO-PWR-SUPPLY</b>	Power Supply Not Shipped	47
<b>S125RK9W-12410JA</b>	Cisco 1250 Series IOS WIRELESS LAN LWAPP RECOVERY	47
<b>CON-SNT-LAP1252A</b>	SMARTNET 8X5XNBD 802.11a/g/n-d2.0 2.4/5-GHz Mod Unified A	47
<b>AIR-WLC4404-100-K9</b>	4400 Series WLAN Controller for up to 100 Lightweight APs	1
<b>GLC-SX- MM</b>	GE SFP, LC connector SX transceiver	12
<b>AIR-PWR-CORD-NA</b>	AIR Line Cord North America	1
<b>SWLC4400K9-42</b>	Cisco Unified WLAN Controller SW Release 4.2	1
<b>SWLC4400K9-42-ER</b>	Cisco Unified WLAN Controller Emergency SW Release 4.2	1
<b>CON-SNT-WC440410</b>	SMARTNET 8x5xNBD 4404-100 WLAN Controller	1
<b>Academy HS Switches</b>		
<b>MDF</b>		
<b>WS-C4507R</b>	Catalyst 4500 Chassis (7-Slot),fan, no p/s, Red Sup Capable	2
<b>PWR-C45-1300ACV</b>	Catalyst 4500 1300W AC Power Supply with Int Voice	2
<b>PWR-C45-1300ACV/2</b>	Catalyst 4500 1300W AC Power Supply with Int Voice	2
<b>CAB-7513AC</b>	AC POWER CORD NORTH AMERICA	4
<b>WS-X4515</b>	Catalyst 4507 Supervisor IV,Console(RJ-45),Mgt(RJ-45)	2
<b>S4KL3E-12220EW</b>	Cisco IOS ENHANCED L3 Cat4500 SUP4/5(OSPF,EIGRP,IS-IS)	2
<b>MEM-C4K-FLD128M</b>	Catalyst 4000 Sup III Compact Flash Disk, 128MB Option	2
<b>WS-X4306-GB</b>	Catalyst 4000 Gigabit Ethernet Module, 6-Ports (GBIC)	7
<b>WS-X4448-GB-RJ45</b>	Catalyst 4000 48-Port GE Module, 10/100/1000 Base-T (RJ45)	2
<b>WS-G5484</b>	1000 base-SX Short wavelength GBIC (multimode Only)	25
<b>WS-C3750-24PS-S</b>	24-10/100 PoE + 2 SFP Standard Image	14
<b>WS-C3750E-24PD-S</b>	Catalyst 3750E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	1

<b>CVR-X2-SFP</b>	Twin Converter Module	1
<b>CAB-AC</b>	Power Cord,110V	15
<b>CAB-STACK-1M</b>	Cisco StackWise 1M Stacking Cable	2
<b>GLC-SX-MM</b>	GE SFP, LC connector SX transceiver	3
<b>IDFA</b>		
<b>WS-C3750-24PS-S</b>	24-10/100 PoE + 2 SFP Standard Image	12
<b>WS-C3750E-24PD-S</b>	Catalyst 3750E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	1
<b>CVR-X2-SFP</b>	Twin Converter Module	1
<b>CAB-AC</b>	Power Cord,110V	12
<b>CAB-STACK-1M</b>	Cisco StackWise 1M Stacking Cable	2
<b>GLC-SX-MM</b>	GE SFP, LC connector SX transceiver	3
<b>IDFB</b>		
<b>WS-C3750-24PS-S</b>	24-10/100 PoE + 2 SFP Standard Image	16
<b>WS-C3750E-24PD-S</b>	Catalyst 3750E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	1
<b>CVR-X2-SFP</b>	Twin Converter Module	1
<b>CAB-AC</b>	Power Cord,110V	17
<b>CAB-STACK-1M</b>	Cisco StackWise 1M Stacking Cable	2
<b>GLC-SX-MM</b>	GE SFP, LC connector SX transceiver	2
<b>IDFC</b>		
<b>WS-C3750-24PS-S</b>	24-10/100 PoE + 2 SFP Standard Image	13
<b>WS-C3750E-24PD-S</b>	Catalyst 3750E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	1
<b>CVR-X2-SFP</b>	Twin Converter Module	1
<b>CAB-AC</b>	Power Cord,110V	14
<b>CAB-STACK-1M</b>	Cisco StackWise 1M Stacking Cable	2
<b>GLC-SX-MM</b>	GE SFP, LC connector SX transceiver	2
<b>IDFD</b>		
<b>WS-C3750-24PS-S</b>	24-10/100 PoE + 2 SFP Standard Image	20
<b>WS-C3750E-24PD-S</b>	Catalyst 3750E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	1
<b>CVR-X2-SFP</b>	Twin Converter Module	1
<b>CAB-AC</b>	Power Cord,110V	21
<b>CAB-STACK-1M</b>	Cisco StackWise 1M Stacking Cable	2
<b>GLC-SX-MM</b>	GE SFP, LC connector SX transceiver	4
<b>IDFE</b>		
<b>WS-C3750-24PS-S</b>	24-10/100 PoE + 2 SFP Standard Image	17
<b>WS-C3750E-24PD-S</b>	Catalyst 3750E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	1
<b>CVR-X2-SFP</b>	Twin Converter Module	1
<b>CAB-AC</b>	Power Cord,110V	18
<b>CAB-STACK-1M</b>	Cisco StackWise 1M Stacking Cable	3
<b>GLC-SX-MM</b>	GE SFP, LC connector SX transceiver	4
<b>IDFF</b>		
<b>WS-C3750-24PS-S</b>	24-10/100 PoE + 2 SFP Standard Image	18
<b>WS-C3750E-24PD-S</b>	Catalyst 3750E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	1
<b>CVR-X2-SFP</b>	Twin Converter Module	1

<b>CAB-AC</b>	Power Cord,110V	19
<b>CAB-STACK-1M</b>	Cisco StackWise 1M Stacking Cable	3
<b>GLC-SX-MM</b>	GE SFP, LC connector SX transceiver	4
<b>IDFG</b>		
<b>WS-C3750-24PS-S</b>	24-10/100 PoE + 2 SFP Standard Image	5
<b>WS-C3750E-24PD-S</b>	Catalyst 3750E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	1
<b>CVR-X2-SFP</b>	Twin Converter Module	1
<b>CAB-AC</b>	Power Cord,110V	6
<b>CAB-STACK-1M</b>	Cisco StackWise 1M Stacking Cable	1
<b>GLC-SX-MM</b>	GE SFP, LC connector SX transceiver	1
<b>IDFH</b>		
<b>WS-C3750-24PS-S</b>	24-10/100 PoE + 2 SFP Standard Image	2
<b>WS-C3750E-24PD-S</b>	Catalyst 3750E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	1
<b>CVR-X2-SFP</b>	Twin Converter Module	1
<b>CAB-AC</b>	Power Cord,110V	3
<b>GLC-SX-MM</b>	GE SFP, LC connector SX transceiver	1
<b>IDFI</b>		
<b>WS-C3750-24PS-S</b>	24-10/100 PoE + 2 SFP Standard Image	2
<b>WS-C3750E-24PD-S</b>	Catalyst 3750E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	1
<b>CVR-X2-SFP</b>	Twin Converter Module	1
<b>CAB-AC</b>	Power Cord,110V	6
<b>GLC-SX-MM</b>	GE SFP, LC connector SX transceiver	1
<b>IDFJ</b>		
<b>WS-C3750-24PS-S</b>	24-10/100 PoE + 2 SFP Standard Image	10
<b>WS-C3750E-24PD-S</b>	Catalyst 3750E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	1
<b>CVR-X2-SFP</b>	Twin Converter Module	1
<b>CAB-AC</b>	Power Cord,110V	11
<b>CAB-STACK-1M</b>	Cisco StackWise 1M Stacking Cable	2
<b>GLC-SX-MM</b>	GE SFP, LC connector SX transceiver	2